



GLOBAL EAST ASIA TECHNOLOGY CO.,LIMITED

GLWE826-WD

3G/4G open WRT Wireless
Router with sim card slot



Simply Description

The WE826-WD uses the latest wireless solution, performance is better and more functions. Stable wireless signal, the Max transmission rate can up to 1200Mbps (the 11ac PCIE mode is necessary). 2.4GHz up to 300Mbps, support 3G,4G (3G,4G PCIE module is necessary), it could also dial-up via the USB port (should mount the 3G,4G network card and also need your firmware to support this function), also support watchdog feature. Provide 1 USB2.0 interface, 1 Micro SD slot .

Product Feature

- ◆ Support 802.11n/802.11g/802.11b network protocol, Support 802.3/802.11u protocol
- ◆ 5* 10/100Mbps Auto MDI/MDIX
- ◆ 1 USB 2.0 interface
- ◆ 1 Micro SD Card Slot
- ◆ Support 3G/4G and 11ac
- ◆ Support watchdog feature
- ◆ Many kinds of way to protect your data transmission



GLOBAL EAST ASIA TECHNOLOGY CO.,LIMITED

Product Specification

Hardware	
Main Chipset	MT7620A
RAM	DDR2 128MB (MAX DDR2 256MB)
SPI FLASH	16MB (MAX 32MB)
Protocol	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b, IEEE 802.3, IEEE 802.3u
RT Power	802.11b 18dBm±2dBm; 802.11g 15dBm±2dBm; 802.11n 15dBm±2dBm;
Reception Sensitivity	802.11b: -83dBm@10% PER 802.11g: -74dBm@10% PER 802.11n: -68dBm@10% PER
Work Channel	2.4GHz choose: 1-13
Wireless Rate	Max 300Mbps
Work Frequency	2.4GHz
Antenna	4 removable antenna
Interface	1 PCI-E slot 1 SIM card slot 1 USB 2.0 port 1 Micro SD card slot 1 10/100M WAN port (Auto MDI/MDIX) 4 10/100M LAN port (Auto MDI/MDIX)
LED	Power,PCIE module ,2.4G,WAN,LAN1,LAN2,LAN3,LAN4
Button	Reset/WPS
Max Power consumption	< 12W
Dimension (L*W*H)	141*85*26MM
Software	
WAN Type	PPPoE、 Dynamic IP、 Static IP
Work Mode	AP; Router;
DHCP	Server, Client, DHCP Client List, Address Reservation
Port Forwarding	Virtual Server, Port Triggering, UPnP, DMZ

Add: Room826, Floor 8,BLDG 13, University Science Park(East), Zhengzhou City, P.R.Henan, China.
Tel: 86-371-60911368 Email:info@global-antenna.com
Web:<http://www.asialeren.com> <http://www.global-antenna.com>



GLOBAL EAST ASIA TECHNOLOGY CO.,LIMITED

Firewall Security	Dos, SPI Firewall IP Address Filter/MAC Address Filter/ Domain Filter IP and MAC Address Binding
DDNS	Support
VPN Pass-Through	PPTP, L2TP, IPSec (ESP Head)

Add: Room826, Floor 8,BLDG 13, University Science Park(East), Zhengzhou City, P.R.Henan, China.

Tel: 86-371-60911368 Email:info@global-antenna.com

Web:<http://www.asialeren.com> <http://www.global-antenna.com>